

A3

addition and having at least 80% homology are used as primer P1 and primer P2, respectively.

Cont.

7. (Amended once) The method according to claim 1, wherein the NA sequence SEQ ID NO. 6 or SEQ ID NO. 23 and the NA sequence SEQ ID NO. 7 or the variants thereof obtained by deletion, substitution or addition and having at least 80% homology are used as primer P3 and primer P4, respectively.

8. (Amended once) The method according to claim 1, wherein the NA sequence SEQ ID NO. 8 or SEQ ID NO. 24 or variants thereof obtained by deletion, substitution or addition and having at least 80% homology are used as synthetic gene fragment of the internal amplification control for transgene determination (target IAC DNA).

9. (Amended once) The method according to claim 1, wherein the NA sequence SEQ ID NO. 10 or SEQ ID NO. 25 or variants thereof obtained by deletion, substitution or addition and having at least 80% homology are used as synthetic gene fragment of the internal amplification control for reference gene determination (reference IAC DNA).

FEE DEFICIENCY

8. The Commissioner is hereby authorized to charge any additional fees which may be required to make this response timely, or credit any overpayment, to Deposit Account No. 04-2216.

Respectfully Submitted,



---

Bruce S. Londa (33,531)  
Attorney for Applicant  
Norris, McLaughlin & Marcus P.A.  
220 East 42<sup>nd</sup> Street, 30<sup>th</sup> Floor  
New York, N.Y. 10017  
Telephone: (212) 808-0700  
Facsimile: (212) 808-0844